

10/525819


DT01 Rec'd PCT/PTC 25 FEB 2005

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A compound of the formula (I) or a salt thereof,



where the symbols and indices are as defined below:

X is ~~=CH- or =N-~~ CH or N;

Y is ~~=O or =S~~ O or S;

n is 0 or 1;

R¹ is (C₁-C₆)-alkyl, (C₁-C₆)-haloalkyl, -S(halogen)₅ or halogen, where one or two CH₂ in the alkyl or haloalkyl groups ~~may be~~ is/are optionally replaced by -O- or -S- or -N(C₁-C₆)-alkyl, with the proviso that heteroatoms ~~may~~ are not be adjacent;

R², R³ independently of ~~one another~~ each other are hydrogen, (C₁-C₆)-alkyl, (C₁-C₆)-haloalkyl or halogen, where one or two CH₂ in the alkyl or haloalkyl groups ~~may be~~ is/are optionally replaced by -O- or -S- or -N(C₁-C₆)-alkyl, with the proviso that heteroatoms ~~may~~ are not be adjacent;

R⁴ is hydrogen, (C₁-C₁₀)-alkyl, (C₃-C₁₀)-alkenyl, (C₃-C₁₀)-alkynyl, (C₃-C₁₀)-cycloalkyl, (C₄-C₈)-cycloalkenyl, (C₈-C₁₀)-cycloalkynyl, (C₆-C₁₄)-aryl, (C₃-C₁₀)-heterocyclyl or R⁶, where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted;

R^5 is hydrogen, (C_1-C_{10}) -alkyl, (C_3-C_{10}) -alkenyl, (C_3-C_{10}) -alkynyl, (C_3-C_8) -cycloalkyl, (C_4-C_8) -cycloalkenyl, (C_8-C_{10}) -cycloalkynyl, (C_6-C_{14}) -aryl, (C_3-C_{10}) -heterocyclyl or R^7 , where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted;

R^6 , R^7 independently of ~~one another~~ each other are $-C(W)R^8$, $-C(W)OR^8$, $-C(W)SR^8$, $-C(W)NR^8_2$, $-C(W)NR^8-NR^8_2$, $-C(W)NR^8-NR^8[C(W)R^8]$, $-SO_2NR^8_2$, $-SO_2OR^8$, $-S(O)R^8$, $-S(O)_2R^8$, $-PWR^8_2$ or $-PW(OR^8)_2$;

W is $=O$, $=S$, $=NOR^8$ or $=NNR^8_2$;

the radicals R^8 are identical or different and are hydrogen, (C_1-C_6) -alkyl, (C_2-C_6) -alkenyl, (C_2-C_6) -alkynyl, (C_3-C_8) -cycloalkyl, (C_4-C_8) -cycloalkenyl, (C_3-C_8) -cycloalkyl- (C_1-C_4) -alkyl, (C_4-C_8) -cycloalkenyl- (C_1-C_4) -alkyl, (C_3-C_8) -cycloalkyl- (C_2-C_4) -alkenyl, (C_4-C_8) -cycloalkenyl- (C_2-C_4) -alkenyl, (C_1-C_6) -alkyl- (C_3-C_8) -cycloalkyl, (C_2-C_6) -alkenyl- (C_3-C_8) -cycloalkyl, (C_2-C_6) -alkynyl- (C_3-C_8) -cycloalkyl, (C_1-C_6) -alkyl- (C_4-C_8) -cycloalkenyl, (C_2-C_6) -alkenyl- (C_4-C_8) -cycloalkenyl, (C_6-C_{14}) -aryl, or (C_3-C_{10}) -heterocyclyl, where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted; and or two radicals R^8 together optionally form a ring system; with the proviso that at least one of the radicals R^4 or R^5 has one of the meanings defined for R^6 or R^7 and that, if when R^5 is $-C(=O)R^a$, where R^a is (C_1-C_6) -alkyl or (C_6-C_{14}) -aryl and where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted, then R^4 is hydrogen or optionally unsubstituted or mono- or polysubstituted (C_3-C_{10}) -alkenyl, (C_3-C_{10}) -alkynyl, (C_3-C_{10}) -cycloalkyl, (C_4-C_8) -cycloalkenyl, (C_8-C_{10}) -cycloalkynyl or R^6 .

2. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 1 where X is ~~$=CH-$~~ CH .

3. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 1 where Y is ~~$=O$~~ O .

4. (Original) The compound of the formula (I) or a salt thereof as claimed in claim 1 where n is 0.

5. (Original) The compound of the formula (I) or a salt thereof as claimed in claim 1 where R^1 is CF_3 .
6. (Original) The compound of the formula (I) or a salt thereof as claimed in claim 1 where R^2 and R^3 are hydrogen.
7. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 1 where R^4 is hydrogen, (C_1-C_6) -alkyl, or (C_1-C_6) -alkyl which is mono- or polysubstituted by F and/or Cl or R^6 .
8. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 1 where R^5 is (C_1-C_6) -alkyl, (C_3-C_6) -alkenyl, (C_3-C_6) -alkynyl, (C_3-C_8) -cycloalkyl, (C_6-C_{14}) -aryl or (C_3-C_{10}) -heterocyclyl having a total of one to three nitrogen, oxygen and/or sulfur ring atoms or ~~very particularly preferably~~ R^7 , where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted.
9. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 1 where R^6 and R^7 independently of ~~one another~~ each other are $-C(W)R^8$, $-C(W)OR^8$, $-SO_2OR^8$, $-S(O)R^8$, $-S(O)_2R^8$, $-PWR^8_2$ or $-PW(OR^8)_2$, W is =O and the radicals R^8 are identical or different and are (C_1-C_6) -alkyl, (C_2-C_6) -alkenyl, (C_2-C_6) -alkynyl, (C_3-C_8) -cycloalkyl, (C_6-C_{14}) -aryl, or (C_3-C_{10}) -heterocyclyl having a total of one to three nitrogen, oxygen and/or sulfur ring atoms, where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted.
10. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 1 where the symbols and indices are as defined below:
X is ~~=CH-~~ CH;
Y is ~~=O~~ O;
n is 0;
 R^1 is $-CF_3$;

R^2 and R^3 are hydrogen;

R^4 is hydrogen, $-C(W)R^8$, $-S(O)R^8$ or $-S(O)_2R^8$;

R^5 is (C_1-C_6) -alkyl, (C_3-C_6) -alkenyl, (C_3-C_6) -alkynyl, (C_3-C_8) -cycloalkyl, (C_6-C_{14}) -aryl, (C_3-C_{10}) -heterocyclyl having a total of one to three nitrogen, oxygen and/or sulfur ring atoms, $-C(W)R^8$, $-S(O)R^8$ or $-S(O)_2R^8$; where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted.

11. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 10 where the symbols and indices are as defined below:

R^4 is $-C(W)R^8$ ~~and in particular~~ or hydrogen;

R^5 is $-C(W)R^8$, and

the radicals R^8 are identical or different and are hydrogen, (C_1-C_6) -alkyl, (C_2-C_6) -alkenyl, (C_2-C_6) -alkynyl, (C_3-C_8) -cycloalkyl, (C_6-C_{14}) -aryl, or (C_3-C_{10}) -heterocyclyl having a total of one to three nitrogen, oxygen and/or sulfur ring atoms, where the radicals mentioned ~~may optionally be~~ are unsubstituted or mono- or polysubstituted.

12. (Currently Amended) The compound of the formula (I) or a salt thereof as claimed in claim 1 where the substituents on the radicals R^4 , R^5 and R^8 are groups R^9 which are as defined below:

the radicals R^9 are identical or different and are R^{10} , or two radicals R^9 together with the atoms to which they are attached form a three- to eight-membered saturated or unsaturated ring system which is optionally substituted by one or more radicals R^{10} and which optionally contains heteroatoms, ~~preferably~~ O, N, S, SO and/or SO_2 ;

the radicals R^{10} are identical or different and are R^8 , R^{11} , $-C(W)R^8$, $-C(W)OR^8$, $-C(W)SR^8$, $-C(W)NR^8_2$, $-OC(W)R^8$, $-OC(W)OR^8$, $-OC(W)SR^8$, $-OC(W)NR^8_2$, $-SC(W)R^8$, $-SC(W)OR^8$, $-SC(W)SR^8$, $-SC(W)NR^8_2$, $-NR^8C(W)R^8$, $-N[C(W)R^8]_2$, $-NR^8C(W)OR^8$, $-NR^8C(W)SR^8$, $-C(W)NR^8-NR^8_2$, $-C(W)NR^8-NR^8[C(W)R^8]$, $-NR^8-C(W)NR^8_2$, $-NR^8-NR^8C(W)R^8$, $-NR^8-N[C(W)R^8]_2$, $-N[(CW)R^8]$

-NR⁸₂, -NR⁸[(CW)NR⁸₂], -NR⁸(C=NR⁸)R⁸, -NR⁸(C=NR⁸)NR⁸₂, -O-NR⁸₂,
 -O-NR⁸(CW)R⁸, -SO₂NR⁸₂, -NR⁸SO₂R⁸, -SO₂OR⁸, -OSO₂R⁸, -OR⁸, -NR⁸₂,
 -SR⁸, -SiR⁸₃, -PR⁸₂, -P(W)R⁸₂, -SOR⁸, -SO₂R⁸, -PWR⁸₂ or -PW(OR⁸)₂;
 or two radicals R¹⁰ together are (W), (=N-R⁸), (=CR₂⁸), (=CHR⁸), or (=CH₂);


W and R⁸ are as defined in claim 1,

the radicals R¹¹ are identical or different and are halogen, cyano, nitro, hydroxyl, thio,
 amino, formyl, (C₁-C₆)-alkanoyl, (C₁-C₆)-alkoxy, (C₃-C₆)-alkenyloxy,
 (C₃-C₆)-alkynyloxy, (C₁-C₆)-haloalkyloxy, (C₃-C₆)-haloalkenyloxy,
 (C₃-C₆)-haloalkynyloxy, (C₃-C₈)-cycloalkoxy, (C₄-C₈)-cycloalkenyloxy,
 (C₃-C₈)-halocycloalkoxy, (C₄-C₈)-halocycloalkenyloxy,
 (C₃-C₈)-cycloalkyl-(C₁-C₄)-alkoxy, (C₄-C₈)-cycloalkenyl-(C₁-C₄)-alkoxy,
 (C₃-C₈)-cycloalkyl-(C₂-C₄)-alkenyloxy, (C₄-C₈)-cycloalkenyl-(C₂-C₄)-alkenyloxy,
 (C₁-C₆)-alkyl-(C₃-C₈)-cycloalkoxy, (C₂-C₆)-alkenyl-(C₃-C₈)-cycloalkoxy,
 (C₂-C₆)-alkynyl-(C₃-C₈)-cycloalkoxy, (C₁-C₆)-alkyl-(C₄-C₈)-cycloalkenyloxy,
 (C₂-C₆)-alkenyl-(C₄-C₈)-cycloalkenyloxy, (C₁-C₄)-alkoxy-(C₁-C₆)-alkoxy,
 (C₁-C₄)-alkoxy-(C₃-C₆)-alkenyloxy, carbamoyl, (C₁-C₆)-mono- or
 dialkylcarbamoyl, (C₁-C₆)-mono- or dihaloalkylcarbamoyl, (C₃-C₈)-mono- or
 dicycloalkylcarbamoyl, (C₁-C₆)-alkoxycarbonyl, (C₃-C₈)-cycloalkoxycarbonyl,
 (C₁-C₆)-alkanoyloxy, (C₃-C₈)-cycloalkanoyloxy, (C₁-C₆)-haloalkoxycarbonyl,
 (C₁-C₆)-haloalkanoyloxy, (C₁-C₆)-alkanamido, (C₁-C₆)-haloalkanamido,
 (C₂-C₆)-alkenamido, (C₃-C₈)-cycloalkanamido,
 (C₃-C₈)-cycloalkyl-(C₁-C₄)-alkanamido, (C₁-C₆)-alkylthio, (C₃-C₆)-alkenylthio,
 (C₃-C₆)-alkynylthio, (C₁-C₆)-haloalkylthio, (C₃-C₆)-haloalkenylthio,
 (C₃-C₆)-haloalkynylthio, (C₃-C₈)-cycloalkylthio, (C₄-C₈)-cycloalkenylthio,
 (C₃-C₈)-halocycloalkthio, (C₄-C₈)-halocycloalkenylthio, (C₃-C₈)-cycloalkyl-
 (C₁-C₄)-alkylthio, (C₄-C₈)-cycloalkenyl-(C₁-C₄)-alkylthio, (C₃-C₈)-cycloalkyl-
 (C₃-C₄)-alkenylthio, (C₄-C₈)-cycloalkenyl-(C₃-C₄)-alkenylthio, (C₁-C₆)-alkyl-
 (C₃-C₈)-cycloalkylthio, (C₂-C₆)-alkenyl-(C₃-C₈)-cycloalkylthio, (C₂-C₆)-alkynyl-
 (C₃-C₈)-cycloalkylthio, (C₁-C₆)-alkyl-(C₄-C₈)-cycloalkenylthio, (C₂-C₆)-alkenyl-
 (C₄-C₈)-cycloalkenylthio, (C₁-C₆)-alkylsulfinyl, (C₃-C₆)-alkenylsulfinyl, (C₃-C₆)-
 alkynylsulfinyl, (C₁-C₆)-haloalkylsulfinyl, (C₃-C₆)-haloalkenylsulfinyl, (C₃-C₆)-
 haloalkynylsulfinyl, (C₃-C₈)-cycloalkylsulfinyl, (C₄-C₈)-cycloalkenylsulfinyl,

(C₃-C₈)-halocycloalkylsulfinyl, (C₄-C₈)-halocycloalkenylsulfinyl, (C₃-C₈)-cycloalkyl-(C₁-C₄)-alkylsulfinyl, (C₄-C₈)-cycloalkenyl-(C₁-C₄)-alkylsulfinyl, (C₃-C₈)-cycloalkyl-(C₃-C₄)-alkenylsulfinyl, (C₄-C₈)-cycloalkenyl-(C₃-C₄)-alkenylsulfinyl, (C₁-C₆)-alkyl-(C₃-C₈)-cycloalkylsulfinyl, (C₂-C₆)-alkenyl-(C₃-C₈)-cycloalkylsulfinyl, (C₂-C₆)-alkynyl-(C₃-C₈)-cycloalkylsulfinyl, (C₁-C₆)-alkyl-(C₄-C₈)-cycloalkenylsulfinyl, (C₂-C₆)-alkenyl-(C₄-C₈)-cycloalkenylsulfinyl, (C₁-C₆)-alkylsulfonyl, (C₃-C₆)-alkenylsulfonyl, (C₃-C₆)-alkynylsulfonyl, (C₁-C₆)-haloalkylsulfonyl, (C₃-C₆)-haloalkenylsulfonyl, (C₃-C₆)-haloalkynylsulfonyl, (C₃-C₈)-cycloalkylsulfonyl, (C₄-C₈)-cycloalkenylsulfonyl, (C₃-C₈)-halocycloalkylsulfonyl, (C₄-C₈)-halocycloalkenylsulfonyl, (C₃-C₈)-cycloalkyl-(C₁-C₄)-alkylsulfonyl, (C₄-C₈)-cycloalkenyl-(C₁-C₄)-alkylsulfonyl, (C₃-C₈)-cycloalkyl-(C₃-C₄)-alkenylsulfonyl, (C₄-C₈)-cycloalkenyl-(C₃-C₄)-alkenylsulfonyl, (C₁-C₆)-alkyl-(C₃-C₈)-cycloalkylsulfonyl, (C₂-C₆)-alkenyl-(C₃-C₈)-cycloalkylsulfonyl, (C₂-C₆)-alkynyl-(C₃-C₈)-cycloalkylsulfonyl, (C₁-C₆)-alkyl-(C₄-C₈)-cycloalkenylsulfonyl, (C₂-C₆)-alkenyl-(C₄-C₈)-cycloalkenylsulfonyl, (C₁-C₆)-dialkylamino, (C₁-C₆)-alkylamino, (C₃-C₆)-alkenylamino, (C₃-C₆)-alkynylamino, (C₂-C₆)-haloalkylamino, (C₃-C₆)-haloalkenylamino, (C₃-C₆)-haloalkynylamino, (C₃-C₈)-cycloalkylamino, (C₄-C₈)-cycloalkenylamino, (C₃-C₈)-halocycloalkamino, (C₄-C₈)-halocycloalkenylamino, (C₃-C₈)-cycloalkyl-(C₁-C₄)-alkylamino, (C₄-C₈)-cycloalkenyl-(C₁-C₄)-alkylamino, (C₃-C₈)-cycloalkyl-(C₃-C₄)-alkenylamino, (C₄-C₈)-cycloalkenyl-(C₃-C₄)-alkenylamino, (C₁-C₆)-alkyl-(C₃-C₈)-cycloalkylamino, (C₂-C₆)-alkenyl-(C₃-C₈)-cycloalkylamino, (C₂-C₆)-alkynyl-(C₃-C₈)-cycloalkylamino, (C₁-C₆)-alkyl-(C₄-C₈)-cycloalkenylamino, (C₂-C₆)-alkenyl-(C₄-C₈)-cycloalkenylamino, (C₁-C₆)-trialkylsilyl, aryl, aryloxy, arylthio, arylamino, aryl-(C₁-C₄)-alkoxy, aryl-(C₃-C₄)-alkenyloxy, aryl-(C₁-C₄)-alkylthio, aryl-(C₂-C₄)-alkenylthio, aryl-(C₁-C₄)-alkylamino, aryl-(C₃-C₄)-alkenylamino, aryl-(C₁-C₆)-dialkylsilyl, diaryl-(C₁-C₆)-alkylsilyl, triarylsilyl and or 5- or 6-membered heterocyclyl, where the cyclic moiety of the 14 last-mentioned radicals is optionally substituted by one or more radicals selected from the group consisting of halogen, cyano, nitro, amino, hydroxyl, thio, (C₁-C₄)-alkyl, (C₁-C₄)-haloalkyl, (C₃-C₈)-cycloalkyl, (C₁-C₄)-alkoxy, (C₁-C₄)-haloalkoxy,


(C₁-C₄)-alkylthio, (C₁-C₄)-haloalkylthio, (C₁-C₄)-alkylamino, (C₁-C₄)-halo-alkylamino, formyl and (C₁-C₄)-alkanoyl.

13. (Currently Amended) A process for preparing a compounds compound of the formula (I) as claimed in claim 1, which comprises reacting an activated carboxylic acid ~~derivatives~~ derivative of the formula (II) with an hydroxylamine ~~derivatives~~ derivative of the formula (III), where ~~R¹, R², R³, R⁴, R⁵, X, Y and n~~ are as defined in ~~claim 1~~



where R¹, R², R³, R⁴, R⁵, X, Y and n are as defined in claim 1 and Z is halogen.

14. (Currently Amended) A process for preparing compounds of the formula (I) as claimed in claim 1



where R^1 , R^2 , R^3 , R^4 , R^5 , X, Y and n are as defined in claim 1 ~~and, provided that~~ at least one of the radicals R^4 or R^5 is $-C(W)R^8$, $-C(W)OR^8$, $-C(W)SR^8$, $-C(W)NR^8_2$, $-C(W)NR^8-NR^8_2$, $-C(W)NR^8-NR^8[C(W)R^8]$, $-SO_2NR^8_2$, $-SO_2OR^8$, $-S(O)R^8$, $-S(O)_2R^8$, $-PWR^8_2$ or $-PW(OR^8)_2$, which comprises reacting a compound of the formula (I) where R^4 and R^5 are hydrogen with a compound of the formula (IV),



where Hal is a halogen atom and R^{12} is a radical selected from the group consisting of $-C(W)R^8$, $-C(W)OR^8$, $-C(W)SR^8$, $-C(W)NR^8_2$, $-C(W)NR^8-NR^8_2$, $-C(W)NR^8-NR^8[C(W)R^8]$, $-SO_2NR^8_2$, $-SO_2OR^8$, $-S(O)R^8$, $-S(O)_2R^8$, $-PWR^8_2$ and $-PW(OR^8)_2$, where W and R^8 ~~have the meaning are as~~ defined in claim 1.

15. (Currently Amended) A pesticidal composition ~~having insecticidal, acaricidal, ixodicidal, nematocidal and/or molluscicidal action~~, which comprises an insecticidally, acaricidally, ixodicidally, nematocidally or molluscicidally effective amount of at least one compound of the formula (I) or a salt thereof as claimed in claim 1 and a suitable formulation auxiliary.

16. (Currently Amended) The composition as claimed in claim 15, which comprises a further active compound selected from the group ~~of the~~ consisting of acaricides, fungicides, herbicides, insecticides, nematocides ~~or~~ and growth-regulating substances.

17. (Currently Amended) A method for controlling, deterring or repelling pests including nuisance pests of plants, which comprises treating the plants and/or

pests/nuisance pests with an a pesticidally effective amount of a compound of formula (I) or a salt thereof as claimed in claim 1.

18. (Original) The method as claimed in claim 17 where the plant is a transgenic crop plant.

19. (Canceled)

20. (Currently Amended) ~~The use of the compound of the formula (I) or a salt thereof as claimed in claim 1 for preparing a medicament~~ A method for controlling endo- and ectoparasites comprising administering to a human or other animal in need of such treatment a pharmaceutically or veterinarily acceptable, parasitically effective amount of a compound of formula (I) or a salt thereof as claimed in claim 1.

21. (New) The compound of the formula (I) or a salt thereof as claimed in claim 1 wherein R^4 is hydrogen or $-C(=O)R^8$ wherein R^8 is (C₁-C₆)-alkyl, (C₂-C₆)-alkenyl, (C₃-C₈)-cycloalkyl, phenyl or pyridyl, said phenyl or pyridyl being unsubstituted or substituted by one or more radicals selected from the group consisting of halogen, (C₁-C₄)-alkyl, (C₁-C₄)-haloalkyl and (C₁-C₄)-alkoxy.

22. (New) The compound of the formula (I) or a salt thereof as claimed in claim 1 wherein R^5 is (C₁-C₆)-alkyl or $-C(=O)R^8$ wherein R^8 is (C₁-C₆)-alkyl, (C₂-C₆)-alkenyl, (C₃-C₈)-cycloalkyl, phenyl-(C₁-C₄)-alkoxy or phenyl, phenyl being unsubstituted or substituted by one or more radicals selected from the group consisting of halogen, (C₁-C₄)-alkyl, (C₁-C₄)-haloalkyl and (C₁-C₄)-alkoxy.


23. (New) The compound of the formula (I) or a salt thereof as claimed in claim 1 wherein:

R^4 is hydrogen or $-C(=O)R^8$ wherein R^8 is (C₁-C₆)-alkyl, (C₂-C₆)-alkenyl, (C₃-C₈)-cycloalkyl, phenyl or pyridyl, each of phenyl and pyridyl being unsubstituted or substituted by one or more radicals selected from the group consisting of halogen, (C₁-C₄)-alkyl, (C₁-C₄)-haloalkyl and (C₁-C₄)-alkoxy;

R^5 is (C_1-C_6) -alkyl or $-C(=O)R^8$ wherein R^8 is (C_1-C_6) -alkyl, (C_2-C_6) -alkenyl, (C_3-C_8) -cycloalkyl, phenyl- (C_1-C_4) -alkoxy or phenyl, phenyl being unsubstituted or substituted by one or more radicals selected from the group consisting of halogen, (C_1-C_4) -alkyl, (C_1-C_4) -haloalkyl and (C_1-C_4) -alkoxy.

with the proviso that at least one of R^4 and R^5 is $-C(=O)R^8$.


24. (New) The compound or salt as claimed in claim 1, having the formula



wherein:

- (a) R^4 is hydrogen and R^5 is $-CO-CH(CH_3)_2$;
- (b) R^4 is $-CO-(4\text{-trifluoromethylpyridyl-3-yl})$ and R^5 is $-CH_3$;
- (c) R^4 is $-CO-(4\text{-trifluoromethylpyridyl-3-yl})$ and R^5 is $-C_2H_5$;
- (d) R^4 is hydrogen and R^5 is $-CO-CH_2-O-C_6H_5$;
- (e) R^4 is $-CO-(2\text{-methoxyphenyl})$ and R^5 is $-CO-(2\text{-methoxyphenyl})$;
- (f) R^4 is hydrogen and R^5 is $-CO-(2\text{-chloro-4-trifluorophenyl})$;
- (g) R^4 is $-CO-(2\text{-chlorophenyl})$ and R^5 is $-CO-(2\text{-chlorophenyl})$;
- (h) R^4 is hydrogen and R^5 is $-CO-(2\text{-chlorophenyl})$;
- (i) R^4 is hydrogen and R^5 is $-CO\text{-tert-butyl}$;
- (j) R^4 is $-CO\text{-cyclopropyl}$ and R^5 is $-CO\text{-cyclopropyl}$;
- (k) R^4 is $-CO-CH=CH-CH_3$ and R^5 is $-CO-CH=CH-CH_3$;
- (l) R^4 is hydrogen and R^5 is $-CO-(4\text{-methylphenyl})$;
- (m) R^4 is $-CO\text{-phenyl}$ and R^5 is $-CO\text{-phenyl}$;
- (n) R^4 is $-CO-CH_3$ and R^5 is $-CO-CH_3$; or
- (o) R^4 is hydrogen and R^5 is $-CO-CH_3$.

25. (New) The compound or salt as claimed in claim 1, having the formula



wherein:

- (a) R⁴ is hydrogen and R⁵ is -CO-CH(CH₃)₂;
- (b) R⁴ is -CO-(4-trifluoromethylpyridyl-3-yl) and R⁵ is -CH₃;
- (c) R⁴ is -CO-(2-methoxyphenyl) and R⁵ is -CO-(2-methoxyphenyl);
- (d) R⁴ is hydrogen and R⁵ is -CO-(2-chloro-4-trifluorophenyl);
- (e) R⁴ is -CO-(2-chlorophenyl) and R⁵ is -CO-(2-chlorophenyl);
- (f) R⁴ is hydrogen and R⁵ is -CO-(2-chlorophenyl);
- (g) R⁴ is hydrogen and R⁵ is -CO-tert-butyl;
- (h) R⁴ is -CO-cyclopropyl and R⁵ is -CO-cyclopropyl;
- (i) R⁴ is -CO-CH=CH-CH₃ and R⁵ is -CO-CH=CH-CH₃;
- (j) R⁴ is -CO-phenyl and R⁵ is -CO-phenyl;
- (k) R⁴ is -CO-CH₃ and R⁵ is -CO-CH₃; or
- (l) R⁴ is hydrogen and R⁵ is -CO-CH₃.